

**Section III: Complete The following Sentence ( 20 grades )**

1- Treatment of acute limb ischemia includes

a----- b-----

2-----is a muscle pull due to overuse, overstretching or excessive stress on a muscle

-3-The most common complications of simple colloid goiter are:

a----- b-----

4- The goals of total joint replacement are

a----- b-----

c----- d-----

5- In case of atherosclerosis level of obstruction can be determine through:

a----- b-----

c----- d-----

6- Contraindications of surgery in case of toxic goiter are.

a----- b-----

c----- d-----

7- Traditional classification of burn according to depth include the following-----

a----- b-----

c----- d-----

8- The most systematic side effect of burn are -----

9- Consensus Formula is -----

10- The most common Complications of embolectomy are:-----

a----- b-----

c----- d-----

11- Atherosclerosis is defined as:-----

12- The most common Sources of embolus are:-----

**Section III: Complete The following Sentence (20 grades )**

1- Treatment of acute limb ischemia includes

a- \_\_\_\_\_ b- \_\_\_\_\_

2- \_\_\_\_\_ is a muscle pull due to overuse, overstretching or excessive stress on a muscle

3- The most common complications of simple colloid goiter are:

a- \_\_\_\_\_ b- \_\_\_\_\_

4- The goals of total joint replacement are

a- \_\_\_\_\_ b- \_\_\_\_\_  
c- \_\_\_\_\_ d- \_\_\_\_\_

5- In case of atherosclerosis level of obstruction can be determine through:

a- \_\_\_\_\_ b- \_\_\_\_\_  
c- \_\_\_\_\_ d- \_\_\_\_\_

6- Contraindications of surgery in case of toxic goiter are.

a- \_\_\_\_\_ b- \_\_\_\_\_  
c- \_\_\_\_\_ d- \_\_\_\_\_

7- Traditional classification of burn according to depth include the following

a- \_\_\_\_\_ b- \_\_\_\_\_  
c- \_\_\_\_\_ d- \_\_\_\_\_

8- The most systematic side effect of burn are

\_\_\_\_\_

9- Consensus Formula is

10- The most common Complications of embolectomy are:

a- \_\_\_\_\_ b- \_\_\_\_\_  
c- \_\_\_\_\_ d- \_\_\_\_\_

11- Atherosclerosis is defined as:

12- The most common Sources of embolus are:

**Situation: (1V):**

Mr/ Mohamed entered the emergency room complaining of burn in his face, upper extremities, and upper chest, and front of the two lower limb, this burn was as a result of fire extend to an hour. He is weighting 70kg, he is forty years old

**Read the previous situation and answer the following questions:**

- 1- Draw nursing assessment for Mr / Mohamed ? (Two marks)
- Calculate the amount of fluid Mr / Mohamed need? (Three marks)
- 3- Plane nursing intervention for M / Mohamed during rehabilitation phase of the management? (Five marks)

13- Phlegmasia cerulac dolens is defined as-----  
-----  
-----  
-----

14- Contraindication of arteriography in case of atherosclerosis are :-----  
-----  
-----

15- Diagnostic Evaluation of fracture include:-----  
-----  
-----

16- Quadriceps-Setting Exercise constitutes the following steps:-----  
-----  
-----

17-Causes of Osteomyelitis are: -----  
-----  
-----

18 - Hernias means -----  
-----  
-----

19- Clinical pictures of mastitis are -----  
-----  
-----

20 -Causes of Umbilical hernia are-----  
-----  
-----

**Section IV: Write short account about the following in the answer sheet:**

1. Grades of claudication according to Boyd's classification. (5 marks)
2. Curative treatment for Deep Vein Thrombosis. (5 marks)
3. diagnostic investigation of breast disorder (5 marks)

تمريض صحة البالغين



Adult Health Care Nursing,  
General & Specific Surgical Nursing  
2<sup>nd</sup> year Final Exam, 2011/ 2012

Total grade (100 grades)

Time allowed: 3 hours

Section I. True & False: (15 Marks)

Read the statement carefully then Circle the (T) if answer is correct or (F) if the answer is false Then correct the false one

Statements	T	F
1. Postoperative thyrotoxic crisis is considered contraindication for thyroidectomy	T	F
2. Open fracture extend to the skin and mucous membrane.	T	F
3. The lacerated wound caused by sharp cutting objects like surgical wound caused by scalpel	T	F
4. Infection is considered as one of general complications of wound.	T	<input type="checkbox"/> F
5. The first phase of wound healing is granulation tissue formation.	T	<input type="checkbox"/> F
6. Poor blood supply is one of general factors affecting wound healing.	<input type="checkbox"/> T	F
7. calculation of total body surface area (TBSA) is an assessment measure used to assess depth of burn	T	F
8. Acute ischemia is a sudden occlusion of a previously patent artery supplying an organ or extremity.	<input type="checkbox"/> T	F
9. Escharectomy is a surgical removal of dead tissue.	T	F
10. A fracture is a break in the continuity of bone and muscles around it.	<input type="checkbox"/> T	F
11 -QRS complex expresses ventricular contraction	T	F
12- PR interval expresses the distance between P wave and R wave.	T	F
13- Vitamin C should be given for patients with urinary diversion post operatively.	T	F
14- To maintain urine acidity at 6.5 levels, ascorbic acid should be given to urinary diversion patient.	T	F

Handwritten signature or initials.

Handwritten stamp or signature.



**Section.V Read the situations carefully , then answer the following questions: (10 grades)**

**Situation: (1)**

Mr. Ahmed 45 years old admitted to urology department since 3 days with diagnosis of cancer bladder, he performed neobladder urinary diversion operation, post operative the patient complained from pain and impaired skin integrity.

**According to the previous situation answer the following questions:**

**1- Urinary diversion is defined as** (Two marks)

.....

**2-list two indications of neobladder urethra diversion?** (Two marks)

.....  
.....  
.....

**3- Describe Signs and symptoms of infection which related to urinary diversion.** (Three marks)

.....  
.....  
.....

**4- Draw pre and post nursing care plan for Mr. Ahmed as regard to his complaints?** (Three marks)

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

15- Paresthesia means numbness, burning and tingling sensation caused by pressure on nerves.

T

F

**Section : MULTIPLE CHOICE QUESTIONS ( 10 Marks):**

**- Choose the one correct answer.**

1- The specific type of fracture is:

- a) A closed fracture
- b) A complete fracture
- c) Compression fracture
- d) An open fracture

2- Delayed complication of the fracture is

- a) Shock
- b) Fat embolism
- c) Compression fracture
- d) Nonunion

3- The outcome of acute ischemia depends on:

- a -Degree of occlusion
- b- Body circulation
- c- Degree of anemia
- d- Patient condition

4-All of the following are used to determine the degree of ischemia Except

- a- Pain sensation
- b- Color change
- c- Venous refilling time
- d- Claudication

5- Deep Venous thrombosis (DVT) means thrombosis in which of the following vein.

- a- Saphenous
- b- Femoral
- c- Iliac
- d- Popliteal

6- Sprain is manifested by:

- a- Muscle pain
- b- Limb pain
- c- Ecchymosis and edema
- d- Swelling and numbness

7- The principles of fracture management include all the following measures Except:

- a- Reduction
- b- Immobilization
- c- Restoration
- d- Traction

8- Methods of external fixation include:

- a- Nails
- b- Screws
- c- Plates
- d- Splints

9- General complication of wound includes which of the following.

- a- Shock
- b- Gangrene

**Section III: Complete The following Sentence ( 20 grades )**

1- Treatment of acute limb ischemia includes

a----- b-----

2-----is a muscle pull due to overuse, overstretching or excessive stress on a muscle

-3-The most common complications of simple colloid goiter are:

a----- b-----

4- The goals of total joint replacement are

a----- b-----

c----- d-----

5- In case of atherosclerosis level of obstruction can be determine through:

a----- b-----

c----- d-----

6- Contraindications of surgery in case of toxic goiter are.

a----- b-----

c----- d-----

7- Traditional classification of burn according to depth include the following-----

a----- b-----

c----- d-----

8- The most systematic side effect of burn are -----

9- Consensus Formula is -----

10- The most common Complications of embolectomy are:-----

a----- b-----

c----- d-----

11- Atherosclerosis is defined as:-----

12- The most common Sources of embolus are:-----